# Sanitized - Approved For Release : CIA-RDP78-04787A000100030002-1

#### SET #3

### RECORDS INTEGRATION DIVISION

## REPORT OF LONG RANGE SPACE AND EQUIPMENT REQUIREMENTS

#### 25 February 1966

- 1. (a) Manpower Limitations A 10% increase over present ceiling anticipated or a total of 25X9
  - (b) Functional Relationship The mission of the Records Integration Division is designed to operate more efficiently if all Branches, Sections and Units are physically located adjacent to one another.
- 25X1A
- State of the Art Extensive changes in the are currently on the drawing boards. These changes involve not only equipment changes, but also physical relocations of other sections and extensive building modifications to existing facilities within RID. Additional space in the amount of three thousand (3000) square feet is necessary for this change by 1968. Approximately one-half of this amount has already been provided RID.
- (d) Change in Function or Mission No basic changes in function or mission are anticipated.
- 2. Required space through the 1975 1980 period over and above that described in paragraph 1 (c) should not exceed 10% of RID's current space allotment. Equipment changes will occur as better and more sophisticated equipment becomes available. These equipment changes are expected to be accommodated within RID's projected space requirements.

25X1A

Unicka Alfilden - Approved R	OUTING		RECORE	SHEET
SUBJECT: (Optional)		-		
FROM:			EXTENSION	NO.
Chief, RID/ADM/ 1D4135 Headquarters				DATE
O: (Officer designation, room number, and	DATE		OFFICERS	25 February 1966
building)	RECEIVED	FORWARDED	OFFICER'S INITIALS	COMMENTS (Number each comment to show from whom to whom. Draw a line across column after each comment.)
hief, Space Requirement Staff <del>m. 1-J-45 Headquarters</del>	s		R	
3.				
4.				
5.				
6.				
7.				
8.	ļ			
9.		- ;-		
<b>D.</b>				120
,				
1.*				
2.				
3.				
4.				
Sanitized - Approved				

CONFIDENTIAL

SECRET

INTERNAL USE ONLY

UNCLASSIFIED